


Product Overview



PM127FS V1 Product is 24*10/100Mbps+1G Combo+1GE Switch, Using store and forward technology, combined with dynamic memory allocation, to ensure the effective allocation of bandwidth to each port. This switch is easy to install and does not require configuration, It is easy to manage and maintain which can meet a lot of networking environment, supports CCTV function which can improve the network environment and reduces network maintenance costs. It is easy to manage and maintain which can meet a lot of networking environment, such as Business building, Community, Hotel, Office etc.

Product Features

- Support IEEE802.3, IEEE802.3u, IEEE802.3z, IEEE802.3x, IEEE802.3az Standard;
- Flow Control for Full Duplex operation and back pressure for Half Duplex Operation;
- Panel lights to monitor working state and help fault analysis;
- Operation Temperature: 0°C ~ 40°C;
- Support Energy-Efficient Ethernet (EEE) function (IEEE802.3az) ;
- Line-speed forwarding, intelligent identification;
- One key CCTV mode, Remote power and Data feeding up to 250m;

Product Specifications

Model	PM127FS V1
standard	IEEE 802.3, IEEE 802.3u, IEEE 802.3z, IEEE 802.3x, IEEE802.3az , IEEE802.3ab
Port	24 x10/100Mbps RJ45 Port 1 x 10/100/1000Mbps Combo port 1 x 10/100/1000Mbps RJ45 Port
Function key	CCTV
Forwarding Mode	Storage-and-Forward
Switching Capacity	8.8 Gbps
MAC address table	16K
Jumbo frames	16K Bytes
Packet buffer	4M bit
Forwarding Rate	6.55Mpps
Input Power Supply	AC 100-240V 50/60Hz
Operation Temperature	0℃~40℃
Storage Temperature	-40℃~70℃
Operation Humidity	10%~90% RH non-condensing
Storage Humidity	5%~90% RH non-condensing
Dimensions(L*W*H)	280*180*44mm
Fan	Fanless
Weight	<2.5Kg
Green energy saving	IEEE 802.3az
LED Indicator	PWR(Green), LNK/ACT(Green)
Network Media(Cable)	10BASE-T: UTP category 3, 5 cable (≤100m) 100BASE-TX: UTP category 5, 5e cable (≤100m) 1000BASE-T: UTP category 5e, 6 cable(≤100m)
Surge Protection	Different mode ±1KV, common mode ±2KV
MTBF	>50000 hours
Electrostatic standard	Contact 6KV, air 8KV

Ordering information

Model	product information
PM127FS V1	24*10/100Mbps+1G Combo+1GE Switch