


IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

TANGSHAN EVERSON CO, LTD

EAST VILLA DACHENGSHAN PARK BEIXIN EAST ROAD TANGSHAN, HE 063000, HEBEI, CHINA

Product:

Ceramic Plumbing Fixtures

Products are in compliance with the following code(s):

**Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada**

Products are in compliance with the following standard(s)

ASME A112.19.2-2018/CSA B45.1-18

File Number: 5023

Effective Date: November 2019

Void After: November 2024*


Chairman, Product Certification Committee





CEO, The IAPMO Group

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: TANGSHAN EVERSON CO, LTD

Effective Date: November 2019

File Number: 5023

Product: Ceramic Plumbing Fixtures

Void After: November 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Ceramic Plumbing Fixtures shall be marked with the manufacturer's name or registered trademark, or in the case of private labeling, the name of the customer for whom the fixture was manufactured. Markings shall be permanent, legible, and visible after installation.

The model number of close-coupled water closets shall be marked on both the tank and the bowl.

Water closets and urinals shall be marked to identify the average water consumption, expressed in litres and gallons per flush. The litre or gallon value may be stated first, at the manufacturer's option.

Gravity flush tanks shall be marked with a water level mark or with the information necessary to determine the water level in the tank needed to deliver the intended flush volume. This mark shall be applied to the ceramic body of the tank, the tank liner, or the flush valve overflow tube. The vertical distance between the water level mark and the lowest point of the tank overflow channel shall not exceed 38 mm (1.5 in).

Water closet tanks shall have a label indicating at least the following:

- (a) the telephone number or contact information of a service department from which end-users can obtain replacement parts;
- (b) the serial or part number of the flush valve seal; and
- (c) information on procuring replacement parts for maintaining the original flush volume.

All packaging shall be marked with the manufacturer's name or registered trademark; or in case of private labeling, the name of the customer for whom the fixture was manufactured and the model number. Packaging for water closets and urinals shall be marked with the water consumption in gpf and Lpf.

Each fixture shall be marked with the cUPC® certification mark. In the case where the tank and the bowl are sold separately, both shall have the certification mark.

Fixtures that require proprietary (i.e., non-standard) components, e.g., supply fittings, waste fittings, or water closet seats, shall indicate, in the packaging or the accompanying literature, that such components are provided by the manufacturer and shall identify the proper replacement parts.

Fixtures that do not comply with one or more of the dimensional requirements of this Standard shall be marked with an "N" to indicate the non-standard nature of the fixture.


Characteristics:

Ceramic plumbing fixtures may include water closets, lavatories, urinals, bidets, service sinks and drinking fountains. To be installed in accordance with the manufacturer's instructions, the latest edition of the Uniform Plumbing Code, and the National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: TANGSHAN EVERSON CO, LTD

Effective Date: November 2019

File Number: 5023

Product: Ceramic Plumbing Fixtures

Void After: November 2024

This certificate is not evidence of current listing.To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Note: Models preceded by a "c" shall bear the cUPC® certification mark. All other models shall bear the UPC® certification mark.


LAVATORIES:

Countertop Mounted:

Model Number
cEA-LB06-65
cEA-LB06-85
cEA-LB06-A5
cEA-LB22-80
cEA-LB22-100
cEA-VB22
cEA-LB26
cEA-LB28
cG33550
cG45500(516-19X17)
cG45850
cG80850
cS1201
cS1415
cS2301
cS3046
cS3105
cV1290
cEVB1390X
cV2620
cEVB3055X
cEVB3350X
cEL3330
cECB33500

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: TANGSHAN EVERSON CO, LTD

Effective Date: November 2019

File Number: 5023

Product: Ceramic Plumbing Fixtures

Void After: November 2024

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Model Number

cECB33600

cECB31610

cECB35801

cECB66600

cECB31750

cECB88600

cECB88800

cECB27461

Note: Models preceded by a "c" shall bear the cUPC® certification mark. All other models shall bear the UPC® certification mark.

Bowl Vanity Top Lavatory

Model Number

cEAB1115X

Note: Models preceded by a "c" shall bear the cUPC® certification mark. All other models shall bear the UPC® certification mark.

Under-mounted Vanity Top Lavatory

Model Number

cEUB3155X

cEUB3255X

Note: Models preceded by a "c" shall bear the cUPC® certification mark. All other models shall bear the UPC® certification mark.

Pedestal Lavatory:

Model Number

cEPL3300X


cEPL3320X

cEPL3310X

cEPL5140

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: TANGSHAN EVERSON CO, LTD

Effective Date: November 2019

File Number: 5023

Product: Ceramic Plumbing Fixtures

Void After: November 2024

This certificate is not evidence of current listing.To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Model Number
cEPL5220
cEPL5240
cLP1250
cLP3100(LP1100)
cLP5130

Note: Models preceded by a "c" shall bear the cUPC® certification mark. All other models shall bear the UPC® certification mark.

Wall-hung:

Model Number
cW1320

Note: Models preceded by a "c" shall bear the cUPC® certification mark. All other models shall bear the UPC® certification mark.

Under Counter Lavatory:

Model Number
EUB-3555

Note: Models preceded by a "c" shall bear the cUPC® certification mark. All other models shall bear the UPC® certification mark.

WATER CLOSETS:

Model Number	Description
T4300/C6300	Gravity Flush, Round, Floor Mounted, L/C
cETC6300	
cETC6310	